CAN.

AMSOIL®

Powersports & Racing



FREE SHIPPING ON ORDERS OF $130 OR MORE

TO ORDER: 1-800-956-5695 MONDAY – FRIDAY 7 A.M. – 7 P.M. CT | **AMSOIL**.ca

Free Shipping on orders of $130 or more.*

BECOME AN AMSOIL PREFERRED CUSTOMER FOR EVEN MORE GREAT BENEFITS:

Reduced Pricing
Save up to 25 percent on every order.

Free Shipping

Special Offers
Preferred Customers receive exclusive promotions.

Free Swag
Randomly receive free swag when you place an order.

P.C. Points
Earn points on all purchases. Every 50 points earned is redeemable for $1 off a future order.

Referral Rewards
Refer friends and family members to the AMSOIL P.C. Program and receive 500 bonus points when the referred customer makes a qualifying purchase.

Sign up at AMSOIL.ca/pc today and use this referral number. ▼

Referral # 323230

**Orders below that threshold pay a flat shipping rate of $11.99. Exclusions apply. See the shipping & handling policy at AMSOIL.ca/storefront/shippinginformation.aspx*

WARRANTY SECURE®

All AMSOIL lubricants and filters are covered by the AMSOIL Limited Warranty. For details visit AMSOIL.ca/warranty.aspx.

Photo courtesy of ATV Illustrated

All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.

Product Index

Motorcycle oil	**7**
ATV/UTV lubricants	**15**
Dirt bike lubricants	**19**
Marine lubricants	**23**
Snowmobile oil	**29**
Racing oil	**33**
Gear lube	**35**
Grease	**37**
Break-in oil and assembly lube	**39**
Suspension fluid	**39**
Racing transmission fluid	**39**
Ea® Racing Air Filters	**41**
Motorcycle Oil Filters	**41**
Fuel additives	**43**
Spray lubricants and protectants	**45**
Antifreeze & coolant	**47**
Multi-Vehicle Synthetic Power Steering Fluid	**47**

V-Twin Torture Test

- 2019 Harley-Davidson* Street Bob*
- Milwaukee-Eight* 107 c.i. engine
- 1,000 miles (1,609 km) on engine dyno
- 300°F (149°C) oil temperature
- 421°F (216°C) max. cylinder temperature

The rings are virtually deposit-free and didn't stick for **maximum compression and power.** The skirt contains minimal scuffing for **long engine life.**

V-Twin Motorcycle

AMSOIL V-twin products are engineered to address the specific demands of V-twin motorcycles. Advanced synthetic technology protects your bike and the spirit of the American biker.

- **Resists** extreme heat, even in slow-moving parade or rally traffic on hot summer days
- **Retains** viscosity to deliver excellent wear protection
- **Delivers** the convenience of one lubricant for all three sumps

AMSOIL Resists Viscosity Breakdown

AMSOIL resists viscosity breakdown **6X better** than Harley-Davidson* SYN3* for **improved protection** against compensator and transmission gear wear.[BB]



*[BB]Based on testing of AMSOIL 20W-50 Synthetic V-Twin Motorcycle Oil and Harley-Davidson Screamin' Eagle SYN3 purchased on 3/19/19 in the CEC L45-KRL, ASTM D445 test. *All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.*

MCV

MCS

MSV

MVI

MVT

MVP

Synthetic V-Twin Motorcycle Oil

20W-50

Superior synthetic formulation provides long service life and maximum protection against engine wear in Harley-Davidson,* Buell,* Ducati,* Aprilia,* BMW* and other motorcycle engines, primaries and transmissions.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MCVQTC	-EA	(1) 946-ml Bottle	13.69	16.89
MCVQTC	-CA	(12) 946-ml Bottles	156.25	201.00
MCV1GC	-EA	(1) 3.78-litre Bottle	53.69	66.19
MCV1GC	-CA	(4) 3.78-litre Bottles	204.55	263.20

SAE 60

Superior synthetic formulation provides long service life and maximum protection against engine wear in big-bore, air-cooled motorcycle engines, including Harley-Davidson Panhead,* Shovelhead* and Knucklehead.*

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MCSQT	-EA	(1) 946-ml Bottle	14.49	17.89
MCSQT	-CA	(12) 946-ml Bottles	165.70	213.60

15W-60

Superior synthetic formulation provides long service life and maximum protection against engine wear in Indian* and Victory* motorcycles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MSVQT	-EA	(1) 946-ml Bottle	15.19	19.39
MSVQT	-CA	(12) 946-ml Bottles	173.25	231.00

20W-40

Superior synthetic formulation provides long service life and maximum protection against engine wear in Indian and Victory motorcycles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MVIQTC	-EA	(1) 946-ml Bottle	13.69	16.89
MVIQTC	-CA	(12) 946-ml Bottles	156.25	201.00

Synthetic V-Twin Transmission Fluid

Helps quiet V-twin transmission noise and enable smooth shifts.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MVTQTC	-EA	(1) 946-ml Bottle	15.19	19.39
MVTQTC	-CA	(12) 946-ml Bottles	173.25	231.60

Synthetic V-Twin Primary Fluid

Delivers consistent clutch feel and helps riders easily find neutral.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MVPQTC	-EA	(1) 946-ml Bottle	13.49	17.19
MVPQTC	-CA	(12) 946-ml Bottles	153.75	205.20

HDCK

V-Twin Oil Change Kits

Contains everything needed to perform an oil change on most Harley-Davidson motorcycles, including 20W-50 Synthetic V-Twin Motorcycle Oil, an AMSOIL Motorcycle Oil Filter and an O-ring.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
HDCK	-EA	1 Kit	74.40	95.75
HDBK	-EA	1 Kit	71.10	91.45
HDMC	-EA	1 Kit	88.30	113.55
HDMB	-EA	1 Kit	84.60	108.75

FITMENT INFO:

HDCK, HDBK: most 1999-2016 Harley-Davidson motorcycles (HDCK includes chrome filter; HDBK includes black filter)

HDMC, HDMB: most 2017-present Harley-Davidson motorcycles (HDMC includes chrome filter; HDMB includes black filter)

Metric Motorcycle

AMSOIL Synthetic Metric Motorcycle Oil is specifically engineered to meet the unique demands of metric bikes. Advanced synthetic technology protects your bike and your pursuit of freedom.

- **Fights** wear to maintain engine power
- **Delivers** smooth, confident shifts, helping you accelerate faster and ride more effectively
- **Cool**, clean performance
- **Helps** reduce maintenance
- **Extends** oil-change intervals for a safe, reliable trip of a lifetime

Synthetic Metric Motorcycle Oil

10W-40

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Can-Am,* Honda,* Yamaha,* Kawasaki,* Triumph,* Suzuki,* BMW* and other motorcycle engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MCFQTC	-EA	(1) 946-ml Bottle	13.69	16.79
MCFQTC	-CA	(12) 946-ml Bottles	155.65	200.40
MCF1GC	-EA	(1) 3.78-litre Bottle	53.19	65.59
MCF1GC	-CA	(4) 3.78-litre Bottles	202.65	260.60

10W-30

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Honda, Yamaha, Suzuki and Kawasaki motorcycles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MCTQT	-EA	(1) 946-ml Bottle	13.39	16.59
MCTQT	-CA	(12) 946-ml Bottles	153.10	197.40

15W-50

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Ducati,* BMW, KTM,* Yamaha, Triumph and Royal Enfield* motorcycles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
MFFQT	-EA	(1) 946-ml Bottle	15.19	19.39
MFFQT	-CA	(12) 946-ml Bottles	173.25	231.60

"I've been using this product in my Goldwing* motorcycle since shortly after purchasing it brand new in 2012. I noticed right away a smoother gear shift. I love the longer oil change intervals while still providing new-oil protection."

– **LJ**
Jacksonville, Fla.

ATV/UTV

AMSOIL synthetic lubricants deliver upgraded performance and protection for hard-working, hard-ridden ATVs and UTVs. Upgrading to AMSOIL performance lets you safely and confidently push your machine to the limit.

- **Outstanding** severe-service wear protection
- **Performs** in extreme heat and cold
- **Confidence** in clutch feel

EASY AS 1-2-3

The easy-pack provides the solution to tricky lubricant installations. The durable, all-in-one package makes installation as easy as opening the package, inserting the nozzle into the fill hole and squeezing.

"Makes our Arctic Cat* four-wheeler run smooth, quiet and cool, just like all AMSOIL products. This is the only oil we will put in our ATV."

– **Brbstafford**
LaFollette, Tenn.

AUV40

AUV50

AUDT

AUPT

AFF

Synthetic ATV/UTV Motor Oil

Formulated to provide upgraded performance and protection for hard-working and performance ATVs and UTVs.

10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUV40QTC	-EA	(1) 946-ml Bottle	13.19	17.49
AUV40QTC	-CA	(12) 946-ml Bottles	150.60	208.20

5W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUV50QTC	-EA	(1) 946-ml Bottle	13.09	17.29
AUV50QTC	-CA	(12) 946-ml Bottles	148.70	205.80

Synthetic ATV/UTV Transmission and Differential Fluid

Protects heavily loaded, high-torque ATV and UTV gears and bearings against wear in the most severe operating conditions.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUDTQTC	-EA	(1) 946-ml Bottle	14.89	18.99
AUDTQTC	-CA	(12) 946-ml Bottles	170.10	226.80
AUDTPK	-EA	(1) 946-ml Easy-Pack	17.09	21.89
AUDTPK	-CA	(12) 946-ml Easy-Packs	195.30	261.00

Synthetic ATV/UTV Powertrain Fluid

Purpose-built for transmission/differentials and front drives in Polaris* ATVs and UTVs, offering the perfect combination of protection and convenience.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUPTPK	-EA	(1) 946-ml Easy-Pack	15.69	19.99
AUPTPK	-CA	(12) 946-ml Easy-Packs	178.95	238.80

Formula 4-Stroke® Powersports Synthetic Motor Oil

Specially formulated for four-stroke recreational motors, ATVs and snowmobiles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AFFQTC	-EA	(1) 946-ml Bottle	13.89	17.09
AFFQTC	-CA	(12) 946-ml Bottles	158.15	203.40

Kits for Polaris* Vehicles

Contains everything needed to perform an oil change on most Polaris* UTVs and ATVs using AMSOIL Synthetic ATV/UTV Motor Oil.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PK1C	-EA	1 Kit	41.85	53.90
PK2C	-EA	1 Kit	36.55	47.00
PK3C	-EA	1 Kit	34.50	44.40

Kits for Can-Am* Vehicles

Contains everything needed to perform an oil change on most Can-Am UTVs and ATVs using AMSOIL Formula 4-Stroke® Powersports Synthetic Motor Oil.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
CK1	-EA	1 Kit	69.25	89.05
CK2	-EA	1 Kit	53.85	69.25
CK3	-EA	1 Kit	67.15	86.40

Visit AMSOIL.ca, call (715) 399-TECH (Monday-Friday, 8 a.m. - 5 p.m. Central Time) or contact the AMSOIL Dealer listed on the back of your catalog (if one is listed) to determine the appropriate kit for your application.

AMSOIL delivers confident clutch feel.
AMSOIL provides excellent clutch protection.[7] How good is it? In extreme simulated-start testing, AMSOIL provided superior wear protection and kept clutch plates looking new.



[7]*Based on dyno testing of a Honda® CRF450 dirt bike using AMSOIL 10W-40 Synthetic Dirt Bike Oil and a leading original equipment manufacturer 10W-40 conventional dirt bike oil. ®All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.*

Dirt Bike

It takes confidence to grab the holeshot during a race or get out in front of the pack on the trail – confidence that your bike will respond the way you want and confidence that you can push it to the limit without fear of breakdowns. AMSOIL synthetic lubricants are durable and reliable. They are designed to maximize the performance of both bike and rider.

- **Delivers** confidence in clutch feel
- **Superior** protection against gear wear
- **Outstanding** shear stability for long-lasting performance

OFFICIAL
OIL
OFFICIAL
AMSOIL
SWAP
MOTO
RACE SERIES
27

Synthetic Dirt Bike Oil

Delivers confidence in clutch feel, maximum horsepower and superior wear protection in all types of four-stroke dirt bikes.

10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DB40QTC	-EA	(1) 946-ml Bottle	13.59	17.99
DB40QTC	-CA	(12) 946-ml Bottles	155.00	214.20

10W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DB50QTC	-EA	(1) 946-ml Bottle	14.69	19.39
DB50QTC	-CA	(12) 946-ml Bottles	166.95	231.00

10W-60

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DB60QT	-EA	(1) 946-ml Bottle	14.99	19.79
DB60QT	-CA	(12) 946-ml Bottles	170.75	235.80

Synthetic Dirt Bike Transmission Fluid

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DBTFQT	-EA	(1) 946-ml Bottle	11.89	15.69
DBTFQT	-CA	(12) 946-ml Bottles	135.45	187.20

"The KLR 650 came alive after I put this in it. Seems like tons more torque and smoother engine performance. The KTM* is already a beast, and this made it into a demon on steroids."

– **Rustdoc**
Wichita Falls, Texas

Marine

AMSOIL synthetic lubricants are formulated to control harmful deposits and wear in outboards, inboards and personal watercraft. They protect your marine applications from breakdowns, ensuring you spend your valuable free time on the water, not at the marina waiting for your equipment to be repaired.

- **Excellent** wear protection for long engine life
- **Fights** deposits to ensure maximum engine power
- **Protects** against rust during storage

Pete Maina
Hall of Fame Angler

DUMP THE PUMP
The AMSOIL Synthetic Marine Gear Lube easy-pack makes changing lower-unit gear lube easy. No more messy gear-lube pumps, and no more rigid conical bottles that waste half the fluid.

"I use this in my work boat from April to December on Georgian Bay. I actually gained 3 psi of compression when I switched to AMSOIL. My boat gets used to haul tools/materials during the day, and for fishing/transport on weekends. AMSOIL keeps it running strong."

– **Aiden**
Georgian Bay, Ontario

Tracker Marine/Bass Pro Shops Photography

WCT

WCF

WCM

HPM

AGM

AIO

Synthetic Marine Engine Oil

Formulated specifically for use in four-stroke gasoline-fueled engines used in marine applications. Certified to meet NMMA FC-W Catalyst Compatible performance specifications.

10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
WCTQTC	-EA	(1) 946-ml Bottle	11.89	14.69
WCTQTC	-CA	(12) 946-ml Bottles	135.45	174.60

10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
WCFQTC	-EA	(1) 946-ml Bottle	12.79	15.79
WCFQTC	-CA	(12) 946-ml Bottles	146.20	188.40

25W-40 (Synthetic Blend)

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
WCMQTC	-EA	(1) 946-ml Bottle	10.09	12.69
WCMQTC	-CA	(12) 946-ml Bottles	114.70	151.20

HP Marine™ Synthetic 2-Stroke Oil

Prevents piston skirt scuffing, cylinder bore scuffing and ring sticking in all two-stroke outboard motors, personal watercraft and anywhere NMMA TC-W3 and API-TC oils are specified.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HPMQTC	-EA	(1) 946-ml Bottle	11.29	13.89
HPMQTC	-CA	(12) 946-ml Bottles	128.55	165.60
HPM1GC	-EA	(1) 3.78-litre Bottle	43.49	53.69
HPM1GC	-CA	(4) 3.78-litre Bottles	165.70	213.20

Synthetic Marine Gear Lube

Delivers advanced outboard protection against power loss and gear wear, even with up to 15 percent water contamination.[v] Use in outboard lower units, stern drives, V-drives, bow and tunnel thrusters and marine transmissions.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AGMTB	-EA	(1) 296-ml Tube	8.29	10.49
AGMTB	-CA	(6) 296-ml Tubes	47.25	62.40
AGMQTC	-EA	(1) 946-ml Bottle	13.79	16.99
AGMQTC	-CA	(12) 946-ml Bottles	156.90	202.20
AGMPK	-EA	(1) 946-ml Easy-Pack	15.99	19.69
AGMPK	-CA	(12) 946-ml Easy-Packs	182.10	234.60
AGM05	-EA	(1) 18.9-litre Pail	254.45	322.30

Synthetic 2-Stroke Injector Oil

High-quality, cost-effective oil for the severe operating conditions of two-stroke snowmobiles and outboard motors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AIOQTC	-EA	(1) 946-ml Bottle	9.89	12.49
AIOQTC	-CA	(12) 946-ml Bottles	112.15	148.20
AIO1GC	-EA	(1) 3.78-litre Bottle	37.99	48.09
AIO1GC	-CA	(4) 3.78-litre Bottles	144.70	190.80

Marine Gear Lube Pump

Eases installation and reduces mess when servicing lower units with quarts of AMSOIL Synthetic Marine Gear Lube.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
G3456	EA	1 gear lube pump	12.55	13.15

[v]*Based upon AMSOIL testing of AMSOIL Synthetic Marine Gear Lube 75W-90 in ASTM 3233 and ASTM D892.*

RUNS ON
FREEDOM
AMSOIL
POWERFUL PROTE
WITH A SLED WARRANTY

Snowmobile

Don't let the powersports manufacturers bully you into buying their brand of oil. You have the freedom to choose your brand of oil and keep your warranty intact.

To show our support for riders and to double-down on our confidence in our snowmobile oil, we offer the Runs on Freedom™ Limited Snowmobile Warranty.

It covers engine repairs for two years or 8,000 km, whichever comes first, on current-model-year or newer sleds that use AMSOIL INTERCEPTOR® Synthetic 2-Stroke Oil exclusively.

Get details and register at AMSOIL.ca/rofwarranty.

How Does AMSOIL Synthetic Snowmobile Oil Stand Up?

Riders love to push their sleds hard. **And they love to push rental sleds even harder.**

That's why we tested AMSOIL INTERCEPTOR® Synthetic 2-Stroke Snowmobile Oil in this rental Polaris* Pro RMK* 850 ridden hard in the Canadian mountains.

An engine teardown following the season showed that INTERCEPTOR prevented piston-ring sticking, piston scuffing and exhaust-power-valve sticking for maximum engine performance and life.

AMSOIL Fights Wear

AMSOIL INTERCEPTOR® Synthetic 2-Stroke Oil delivered **outstanding wear protection and cleanliness** in a rental sled throughout 1,617 miles (2,602 km) of mountain abuse.[CC]

AMSOIL kept pistons virtually free of carbon with nearly all coating intact.

AMSOIL fought the formation of carbon deposits, allowing power valves to move freely.

[CC]Based upon use of a new 2019 Polaris RMK* 850 as a rental sled at Grizzly Lodge December 2018 - February 2019. *All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.*

Watch the torture test video at **youtube.com/amsoilinc** by searching “Grizzly Lodge.”

"I've always had great results with this oil in my snowmobiles. Doesn't smoke or smell, and my Rave valves are always very clean."

– **SMG**
Pa.

AIT

INTERCEPTOR® Synthetic 2-Stroke Oil

Prevents piston skirt scuffing, ring sticking and exhaust power valve sticking in two-stroke snowmobiles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AITQTC	-EA	(1) 946-ml Bottle	12.59	15.49
AITQTC	-CA	(12) 946-ml Bottles	143.65	184.80
AIT1GC	-EA	(1) 3.78-litre Bottle	48.79	60.09
AIT1GC	-CA	(4) 3.78-litre Bottles	185.65	238.80

AIO

Synthetic 2-Stroke Injector Oil

High-quality, cost-effective oil for the severe operating conditions of two-stroke snowmobiles and outboard motors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AIOQTC	-EA	(1) 946-ml Bottle	9.89	12.49
AIOQTC	-CA	(12) 946-ml Bottles	112.15	148.20
AIO1GC	-EA	(1) 3.78-litre Bottle	37.99	48.09
AIO1GC	-CA	(4) 3.78-litre Bottles	144.70	190.80

TDR

DOMINATOR® Synthetic 2-Stroke Racing Oil

Delivers outstanding wear protection in high-horsepower and modified racing or trail motors, including snowmobiles, motorcycles, ATVs, personal watercraft, go-carts and outboard racing motors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
TDRQTC	-EA	(1) 946-ml Bottle	13.19	16.19
TDRQTC	-CA	(12) 946-ml Bottles	149.95	193.20
TDR1GC	-EA	(1) 3.78-litre Bottle	50.99	62.89
TDR1GC	-CA	(4) 3.78-litre Bottles	194.25	250.00

TCC

Synthetic Chaincase & Gear Oil

Superior protection for enclosed chains and gears found in snowmobiles, ATVs, UTVs and general equipment.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
TCCCN	-EA	(1) 473-ml Bottle	11.69	15.09
TCCCN	-CA	(6) 473-ml Bottles	66.50	90.00
TCC05	-EA	(1) 18.9-litre Pail	267.90	339.35

AFF

Formula 4-Stroke® Powersports Synthetic Motor Oil

Specially formulated for four-stroke recreational motors, ATVs and snowmobiles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AFFQTC	-EA	(1) 946-ml Bottle	13.89	17.09
AFFQTC	-CA	(12) 946-ml Bottles	158.15	203.40

"AMSOIL products are the best on the market and definitely give us an added performance factor."

– **Bryce Menzies**
3X Baja 500 Winner
2X Mint 400 Winner

Racing

Taking the checkered flag requires you to push your race vehicle to the limit. But the intense heat and high rpm of racing create conditions that can lead to costly breakdowns, ending a race as quickly as a wreck. AMSOIL synthetic lubricants are formulated to withstand the devastating effects of powerful racing vehicles. They help give you a competitive edge on race day.

- **Exceptional** protection in extreme conditions
- **Designed** to reduce friction for maximum horsepower
- **Withstand** the rigors of high-horsepower, high-torque engines

OFFICIAL OIL OFFICIAL
AMSOIL USAC SPRINT CAR NATIONAL CHAMPIONSHIP
ARA AMERICAN RALLY ASSOCIATION
LASERNUT 2021 King of the Hammers the ultimate desert race OPTIMA BATTERIES
AMSOIL NWDC
TOYO TIRES
KMC
7

RD20

RD30

RD50

RD60

DCO

DOMINATOR® Synthetic Racing Oil

Superior performance and maximum protection in high-performance and racing applications.

5W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RD20QT	-EA	(1) 946-ml Bottle	14.49	17.89
RD20QT	-CA	(12) 946-ml Bottles	165.70	213.60

10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RD30QT	-EA	(1) 946-ml Bottle	14.19	17.49
RD30QT	-CA	(12) 946-ml Bottles	161.95	208.80

15W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RD50QT	-EA	(1) 946-ml Bottle	14.79	18.19
RD50QT	-CA	(12) 946-ml Bottles	168.85	217.20

SAE 60

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RD60QT	-EA	(1) 946-ml Bottle	15.29	18.79
RD60QT	-CA	(12) 946-ml Bottles	174.55	224.40

20W-50 Synthetic Competition Diesel Oil

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DCO1G	-EA	(1) 3.78-litre Bottle	48.89	60.29
DCO1G	-CA	(4) 3.78-litre Bottles	186.10	239.40

DOMINATOR® Protects Better

DOMINATOR Competition Diesel Oil delivers **50% more** film thickness[Q] to withstand high cylinder pressures and protect against wear.



[Q]*Compared to the 3.5 cP HTHS limit for SAE 15W-40.*

GBS2960

Briggs & Stratton® Synthetic 4T Racing Oil

Formulated by AMSOIL specifically for stock and modified small-displacement air-cooled racing engines and recommended for any four-stroke air-cooled competition engine.

- Designed to help racers elicit the most horsepower and longest life from their engines.
- Resists the elevated heat common to high-performance racing engines.
- Reduces energy loss due to friction.
- Provides strong anti-wear properties.
- Resists foam.
- Protects against the formation of corrosion between races and during longer storage periods.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GBS2960	-EA	(1) 946-ml Bottle	14.95	19.94
GBS2960	-CA	(12) 946-ml Bottles	179.40	239.32

BRIGGS & STRATTON®

SVG

AGL

SVT

SVO

SRT

SEVERE GEAR® Synthetic Gear Lube

Specifically engineered for high-demand applications, including trailer towing, heavy hauling, 4x4 off-road driving, commercial use and racing.

75W-90

Top fuel efficiency and cold-temperature performance

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SVGQTC	-EA	(1) 946-ml Bottle	17.99	22.09
SVGQTC	-CA	(12) 946-ml Bottles	204.75	263.40
SVGPK	-EA	(1) 946-ml Easy-Pack	17.99	22.09
SVGPK	-CA	(12) 946-ml Easy-Packs	204.75	263.40
SVG05	-EA	(1) 18.9-litre Pail	333.60	422.60

80W-90

Excellent extreme-pressure performance and wear protection

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AGLQT	-EA	(1) 946-ml Bottle	13.09	16.09
AGLQT	-CA	(12) 946-ml Bottles	148.70	191.40
AGLPK	-EA	(1) 946-ml Easy-Pack	15.09	18.59
AGLPK	-CA	(12) 946-ml Easy-Packs	172.00	221.40
AGL05	-EA	(1) 18.9-litre Pail	237.20	300.55

75W-110

Extra viscosity protection without sacrificing fuel efficiency

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SVTQT	-EA	(1) 946-ml Bottle	18.59	22.89
SVTQT	-CA	(12) 946-ml Bottles	212.35	273.00
SVTPK	-EA	(1) 946-ml Easy-Pack	20.79	25.59
SVTPK	-CA	(12) 946-ml Easy-Packs	237.55	306.00
SVT05	-EA	(1) 18.9-litre Pail	344.90	436.90

75W-140

Maximum viscosity protection for severe-duty applications

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SVOQTC	-EA	(1) 946-ml Bottle	20.59	25.29
SVOQTC	-CA	(12) 946-ml Bottles	234.40	301.80
SVOPK	-EA	(1) 946-ml Easy-Pack	20.59	25.29
SVOPK	-CA	(12) 946-ml Easy-Packs	234.40	301.80
SVO05	-EA	(1) 18.9-litre Pail	375.15	475.20

SEVERE GEAR® EP Synthetic Racing Gear Lube

Engineered specifically for the demands of off-road truck racing, rock racing, rock crawling, tractor pulling, funny car racing and dragster racing applications.

SAE 250

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SRTQT	-EA	(1) 946-ml Bottle	19.29	23.69
SRTQT	-CA	(12) 946-ml Bottles	219.90	283.20
SRT05	-EA	(1) 18.9-litre Pail	358.30	453.90

Some gear lubes fail to meet basic low-temperature requirements.

Mobil 1* 75W-140 Gear Oil, for example, failed to meet the requirements of the industry standard.[§] AMSOIL SEVERE GEAR,® on the other hand, delivers **20% more** cold-temperature protection than the standard requires.

*[§]Based upon results of samples of Mobil 1 75W-140 and Valvoline SynPower 75W-140 purchased in 2018 and tested in ASTM D2983 by an independent testing facility in May 2018. Samples sent blind to eliminate bias. *All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.*



ADA

GRG

● Slip Lock® Differential Additive

Designed to eliminate gear-housing chatter in cars, trucks and SUVs equipped with limited-slip differentials.

Note: *AMSOIL synthetic gear lubes do not require the use of this additive. However, not all differentials respond the same and if chatter is noticed, the addition of AMSOIL Slip Lock will eliminate it.*

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADATBC	-EA	(1) 118-ml Tube	10.49	13.19
ADATBC	-CA	(12) 118-ml Tubes	119.70	157.80

GLC

GLC3P

DOMINATOR® Synthetic Racing Grease

High-temperature, high-speed bearing and chassis grease for all race applications on snow, dirt, water and track. GC-LB NLGI #2.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GRGCR	-EA	(1) 397-g. Cartridge	15.39	20.39
GRGCR	-CA	(10) 397-g. Cartridges	150.15	197.50

GLCGN

Synthetic Multi-Purpose Grease

Delivers premium wear protection for bearings, bushings, chassis lubrication and other applications. GC-LB NLGI #2.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GLCCR	-EA	(1) 397-g. Cartridge	9.19	12.29
GLCCR	-CA	(10) 397-g. Cartridges	88.20	116.00
GLC3P	-EA	(3) 85-g. Cartridges	11.29	14.99
GLC3P	-CA	(30) 85-g. Cartridges	107.65	141.50
GLCGN	-EA	Grease Gun Kit	40.30	53.35

GWR

GWR3P

Synthetic Water-Resistant Grease

Provides outstanding water-washout and spray-off resistance for applications frequently exposed to water, mud, snow or ice. GC-LB NLGI #2.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GWRCR	-EA	(1) 397-g. Cartridge	9.69	12.79
GWRCR	-CA	(10) 397-g. Cartridges	92.40	121.50
GWR3P	-EA	(3) 85-g. Cartridges	12.19	16.09
GWR3P	-CA	(30) 85-g. Cartridges	116.05	153.00

G2039

G1230 G1242

Easy Installation

PRODUCT	STOCK#	P.C. PRICE	FULL PRICE
Hand Pump	G2039	13.90	14.55
Flexible Pour Spout	G1230	0.95	1.00
Nozzle Dispenser Caps (6)	G1242	1.55	1.60

"Great product. No fouled plugs during break in, quick and steady power gains. 15 hours in and the oil still looks clean on the dipstick. Very pleased with product."

– **Benjamin**
Yuma, Ariz.

EAL

BRK

ART

Assembly Lube

Formulated to cling to engine parts and provide exceptional wear protection in newly built or rebuilt high-performance, racing and other four-stroke engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EALTB	-EA	(1) 118-ml Tube	9.79	12.29
EALTB	-CA	(12) 118-ml Tubes	111.55	147.00

Break-In Oil

Allows for quick and efficient piston ring seating in new and rebuilt high-performance and racing engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
BRKQTC	-EA	(1) 946-ml Bottle	9.29	11.49
BRKQTC	-CA	(12) 946-ml Bottles	105.85	136.20

Super Shift® Synthetic Racing Transmission Fluid

Formulated to prevent slippage and reduce heat in high-performance, high-horsepower vehicles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ARTQT	-EA	(1) 946-ml Bottle	14.49	17.79
ARTQT	-CA	(12) 946-ml Bottles	165.10	212.40

"Highly recommend this product. No issues with heat or slipping."

– **Hiteracing**
South Boston, Va.

STL

STM

Shock Therapy® Suspension Fluid

Controls friction, heat, wear, foaming and scuffing in suspension components

Shock Therapy Suspension Fluid

Use in applications that demand quick rebounds under extreme temperatures.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
STLQT	-EA	(1) 946-ml Bottle	15.79	19.39
STLQT	-CA	(12) 946-ml Bottles	179.55	231.00
STL05	-EA	(1) 18.9-litre Pail	289.95	367.25

Shock Therapy Suspension Fluid

Use in applications that require more dampening and slower rebounds.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
STMQT	-EA	(1) 946-ml Bottle	15.69	19.29
STMQT	-CA	(12) 946-ml Bottles	178.30	229.80
STM05	-EA	(1) 18.9-litre Pail	287.15	363.75



99% Efficiency at 20 Microns

Filtering particles >20 microns fights engine wear.[AA]

[AA]*In accordance with industry-standard ISO SO 4548-12.*

More Premium Filters

AMSOIL offers a variety of specialty oil and air filters constructed with premium synthetic technology. Call (715) 399-TECH (Monday-Friday, 8 a.m. - 5 p.m. Central Time) for application information.

Ea® Racing Air Filters

Available While Supplies Last

Specially designed for carbureted racing and street rod applications, providing higher dirt-holding capacity, lower pressure drop and greater airflow and efficiency. Cleanable and remain serviceable for long filter life.

Ea® Pre-Filters

Available While Supplies Last

Constructed of woven mesh and designed to fit over the top of Ea Racing and Air Induction Filters, preventing large particles from sticking to them and blocking airflow. Easily removed and shaken free of debris in seconds. Cleanable and remain serviceable for up to one year.

Motorcycle Oil Filters

Designed for motorcycles, ATVs, four-stroke personal watercraft, snowmobiles and outboard motors, stopping smaller dirt particles, offering less restriction, extending equipment and filter life and improving performance. Fluted for easy removal. Available in black or chrome (as available). EAOM122 and EAOM133C available while supplies last. EAOM134 and EAOM134C are suitable replacements.

Motorcycle Oil Filters

STOCK#	UNITS	P.C. PRICE	FULL PRICE
EAOM103	EA	18.55	22.85
EAOM103C	EA	23.85	29.25
EAOM109	EA	19.00	23.30
EAOM133C	EA	24.00	29.40
EAOM134	EA	16.65	20.50
EAOM134C	EA	20.40	25.00
EAOM135	EA	17.45	21.45
EAOM135C	EA	21.25	26.10
EAOM136C	EA	19.45	23.95
EAOM138	EA	20.25	24.80

Chrome filters designated with "C".

AMSOIL Fights Corrosion

AMSOIL provides corrosion protection Sea Foam® Motor Treatment can't match, helping maintain power and performance and keeping metal looking like new even when subjected to salt water.[x]



[x] *Based upon independent testing of AMSOIL Gasoline Stabilizer obtained Nov. 8, 2018 and Sea Foam Motor Treatment purchased Oct. 25, 2018 in a modified NACE TM0172 using synthetic sea water per ASTM D665 part B.*

Gasoline Stabilizer

Helps prevent the formation of varnish and sludge in stored seasonal equipment such as snowmobiles, lawnmowers, motorcycles and boats. 60 mL treats 19 litres of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASTCNC	-EA	(1) 473-ml Bottle	13.39	16.79
ASTCNC	-CA	(6) 473-ml Bottles	76.25	100.50

Quickshot®

Effectively addresses performance issues related to ethanol, water and dirty pump gas in two- and four-stroke gasoline-powered engines and powersports equipment fuel systems, restoring peak performance. Designed for an initial clean-up dose of one bottle per 23 litres of gasoline, followed by one bottle per 45 litres thereafter.

Motorcycles • Snowmobiles • Boats • UTVs/ATVs • Edgers • Tillers • Mowers • Snowblowers • Chainsaws • Generators • Farm & Construction Equipment • and more

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AQSCNC	-EA	(1) 236-ml Bottle	10.49	13.09
AQSCNC	-CA	(6) 236-ml Bottles	59.55	78.30

Motorcycle Octane Boost

Increases octane in four-stroke air- or liquid-cooled motorcycles for maximum power and efficiency. Treats 15-23 litres of gasoline.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MOBCNC	-EA	(1) 118-ml Bottle	5.79	7.19
MOBCNC	-CA	(12) 118-ml Bottles	66.15	85.20

DOMINATOR® Octane Boost

Improves the performance of all two-and four-stroke gasoline-fueled engines. Treats up to 57 litres of gasoline.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
COBBE	-EA	(1) 354-ml Bottle	11.39	13.99
COBBE	-CA	(6) 354-ml Bottles	64.90	83.70

Lincoln Lemieux
Scheuring Speed Sports

COUNTLESS USES AROUND THE SHOP

- Penetrates rust & frees frozen components
- Helps protect against corrosion, even in salt water
- Displaces water
- Stops squeaks
- Cleans
- Protects electrical equipment
- Lubricates moving parts

CMP

AIR

Metal Protector

Displaces water, lubricates, penetrates and protects metal surfaces from corrosion, including hinges, squeaky mechanical objects, electrical systems and more.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
CMPSC	-EA	(1) 208-g. Spray Can	7.59	9.39
CMPSC	-CA	(12) 208-g. Spray Cans	86.35	111.00

○ Synthetic Air Tool Oil

Effectively lubricates rotary and piston-type air-tool bearings and motors, while managing moisture and conditioning rubber and plastic seals and O-rings.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AAIRBA	-EA	(1) 118-ml Bottle	4.69	6.09
AIRBA	-CA	(12) 118-ml Bottles	53.55	72.00

Fluid Extraction Pump

STOCK#	WT.LBS.	P.C. PRICE	FULL PRICE
G2576	2.0	20.95	21.95

Aids in the removal of old fluids when servicing vehicles.

AMSOIL DOMINATOR Coolant Boost delivers fast heat-transfer inside radiators and cylinder heads, resulting in reduced engine temps, increased horsepower and reduced engine warm-up times.

- **Reduces** engine temps up to 14°C
- **Helps** vehicles warm-up an average of 54% faster

○ Powersports Antifreeze & Coolant

Advanced design helps control operating temperature in hot-running, high-revving powersports applications. Extended-life formula provides all-season protection for up to five years.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PSAFQTC	-EA	(1) 946-ml Bottle	10.09	12.19
PSAFQTC	-CA	(12) 946-ml Bottles	114.70	144.60

○ Propylene Glycol Antifreeze & Coolant

Combines the benefits of biodegradability, low toxicity and all-climate protection for up to 241,000 km or 5 years, whichever comes first, in passenger cars and light trucks, and 1,609,344 km/20,000 hours/8 years, whichever comes first, in heavy-duty applications. Concentrate – must add water.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ANT1G	-EA	(1) 3.78-litre Bottle	40.19	49.79
ANT1G	-CA	(4) 3.78-litre Bottles	152.90	197.40

DOMINATOR® Coolant Boost

Helps reduce engine temperatures, increase horsepower, promote faster engine warm-up times and reduce radiator and engine corrosion in racing and passenger vehicles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RDCBCN	-EA	(1) 473-ml Bottle	13.69	17.19
RDCBCN	-CA	(6) 473-ml Bottles	78.15	102.90

Multi-Vehicle Synthetic Power Steering Fluid

Provides excellent wear protection, long component life and quiet operation in most passenger car/light trucks.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PSFCNC	-EA	(1) 473-ml Bottle	8.89	11.09
PSFCNC	-CA	(12) 473-ml Bottles	100.80	132.60

AMSOIL

The First in Synthetics ®

ISO 9001/14001 REGISTERED

AMSOIL INC.
One AMSOIL Center
Superior, WI 54880

WE HONOR

MasterCard VISA DISCOVER

(Discover in U.S. only)

Your Servicing AMSOIL Dealer

Use this referral number to save time and make ordering easier. Call 1-800-956-5695 or log in at AMSOIL.ca. ▼

Referral # 323230

AMSOIL also offers a full line of premium synthetic lubricants for automotive applications. See your servicing AMSOIL Dealer for more information.

AMSOIL INC., 925 Tower Ave., Superior, WI 54880 • 715-392-7101 • Printed in the USA
© 2021, AMSOIL INC. All rights reserved. The AMSOIL logo is a registered trademark of AMSOIL INC.

PRINTED WITH SOY INK

Minimum 10% Post-Consumer Fiber

CAN. G3512 4/21